

To: McComb, Martin[McComb.Martin@epa.gov]; Myers, Craig[Myers.Craig@epa.gov]
Cc: Wall, Dan[wall.dan@epa.gov]
From: Spence, Sandra
Sent: Tue 8/18/2015 8:18:53 PM
Subject: RE: Sampling for Chlor A etc.
Chlorophyl A Sampling Method.docx

Here are some sampling protocols to follow for chlorophyll a. I can provide additional sampling protocols for fluorescein and ferrous/ferric iron tomorrow.

Please use this request as I've added parameters based upon new pictures that Dan Wall provided of Cement Creek.

Thanks

Sandra Spence

Chief, Water Quality Unit

Ecosystems Protection Program

US EPA Region 8

1595 Wynkoop, Denver, CO

Mailcode 8-EPR-EP

Office 303-312-6947

Cell 303-870-7095

From: McComb, Martin
Sent: Tuesday, August 18, 2015 2:12 PM
To: Spence, Sandra; Myers, Craig
Cc: Wall, Dan
Subject: Re: Sampling for Chlor A etc.

Hey Craig,

Here is the request.

M

Sent from my iPhone

On Aug 18, 2015, at 1:53 PM, Spence, Sandra <Spence.Sandra@epa.gov> wrote:

Sampling today if possible – need Chlor A analytical results by early Thursday (9:00)

• Chlorophyll A at the following locations:

1. A68
2. CC48
3. A72
4. Bakers Bridge
5. Sanarita Park

Sampling tomorrow – need fluorescein results by early Thursday (9:00)

• Nutrients – Total Phosphorus (low level), Total Nitrogen

• Fluorescein dye (via fluorimeter)

• Ferrous iron and Ferric iron

• These samples to be collected at the following locations:

1. A68
2. CC48

3. A72
4. Bakers Bridge
5. Sanarita Park